

TopTechnology

Deli

Energy efficient impulse cooler for food and beverages



More sales from impulse purchases



Deli impulse plug-in coolers are ideal both for hand-crafted delicacies and high volume, fast-moving products. Deli is a diverse cabinet series that slots into any retail store size or format. Several cabinet models can be used individually, lined up together and 'multiplexed' or arranged as an island to foster impulse shopping. Glass end panels and attractive lighting illuminate the products on display. Shelves configured for PET bottles increase the display capacity for drinks and boost impulse shopping. Castors make Deli easy and light to move for different point-of-sale purposes.

Energy-efficient cooler

Deli cabinets are excellent when it comes to temperature performance and energy efficiency. Life cycle costs can be cut down with Deli's energy-saving features such as a hot gas water evaporator, low-energy fans, energy saving trim kit and refrigerant R290 on the Deli-135 model which make it energy efficient as well as a good investment.

Technical specifications

Deli-135





Model	DELI-135-60-M-HE	DELI-135-60-M-HE R290	DELI-135-90-M-HE	DELI-135-90-M-HE R290	DELI-135-120-M-HE	DELI-135-120-M-HE R290
Body colour	Grey or white	Grey or white	Grey or white	Grey or white	Grey or white	Grey or white
Inner body	Galvanised steel	Galvanised steel	Galvanised steel	Galvanised steel	Galvanised steel	Galvanised steel
External length (mm)	600	600	880	880	1200	1200
External depth (mm)	660	660	660	660	660	660
External height (mm)	1350	1350	1350	1350	1350	1350
Internal length (mm)	555	555	830	830	1150	1150
Internal depth (mm)	450	450	450	450	450	450
Internal height (mm)	760	760	760	760	760	760
Weight (net/gross kg)	120/150	120/150	140/160	140/160	170/190	170/190
Refrigerated area (m2)	0,8	0,8	1,2	1,2	1,7	1,7
Gross volume (l)	156	156	234	234	324	324
Temperature range (°C)	+0...+2	+0...+2	+0...+2	+0...+2	+0...+2	+0...+2
Power input (W)	539	566	792	576	1031	743
Power supply (V/Hz)	230/50	230/50	230/50	230/50	230/50	230/50
Fuse (A)	10	10	10	10	10	10
Running amps (A)	3,2	3,3	4,6	3,4	6,1	4,4
Energy consumption (kWh/24h)	12,1	12,7	17,9	13,2	23,2	17,2
Energy consumption (kWh/24h) with night blind	9,7	10,0	12,7	10,5	17,1	13,6
Defrost (W)	200	200	250	250	350	350
Refrigerant	R404A	R290	R404A	R290	R404A	R290
Refrigerant charge (g)	400	100	670	148	700	125 + 95

Technical specifications

Deli-175



Model	DELI-175-90-M-HE	DELI-175-120-M-HE
Body colour	Grey or white	Grey or white
Inner body	Galvanised steel	Galvanised steel
External length (mm)	880	1200
External depth (mm)	660	660
External height (mm)	1750	1750
Internal length (mm)	830	1150
Internal depth (mm)	450	450
Internal height (mm)	1100	1100
Weight (net/gross kg)	175/195	213/233
Refrigerated area (m2)	1,4	1,9
Gross volume (l)	335	465
Temperature range (°C)	+2...+4	+2...+4
Power input (W)	792	1069
Power supply (V/Hz)	230/50	230/50
Fuse (A)	10	10
Running amps (A)	4,6	6,3
Energy consumption (kWh/24h)	17,9	24,1
Energy consumption (kWh/24h) with night blind	14,0	19,1
Defrost (W)	250	350
Refrigerant	R404A	R404A
Refrigerant charge (g)	670	850





Refrigeration systems
product catalogue
at App store.

Austria
Viessmann Ges.m.b.H.
Telephone +43 72 42 623 81-100
info@viessmann.at
www.viessmann.at

Denmark
Norpe ApS
Telephone +45 4120 5420
marketing@norpe.fi
www.norpe.dk

Estonia
Norpe Eesti Oü
Telephone +372 675 5150
info@norpe.ee
www.norpe.ee

Finland
Norpe Oy
Telephone +358 19 537 8000
marketing@norpe.fi
www.norpe.com
Norpe Suomi Oy
Telephone +358 19 537 8000
marketing@norpe.fi
www.norpe.fi

France
Viessmann Technique du Froid S.à.r.l.
Telephone +33 3 87291700
france@viessmann-refrigeration.com/fr
www.viessmann.fr

Germany
Viessmann Kühleysteme GmbH, Hof
Telephone +49 9281 814-0
Viessmann Kühleysteme GmbH, Mainz
Telephone +49 61315 7046-17
kuehleysteme@viessmann.de
www.viessmann.de

Ireland
Viessmann Refrigeration Systems Limited
Telephone +353 1 617 7930
sales@viessmann-coldtech.ie
www.viessmann.co.uk

Latvia
Norpe Latvia
Telephone +371 6782 8449
info@norpe.lv
www.norpe.com

Norway
Norpe AS
Telephone +47 3336 3500
post@norpe.no
www.norpe.no

Poland
Viessmann Systemy Chłodnicze Sp. z o.o.
Telephone +48 22 882 0020
norpe@norpe.pl
www.viessmann.pl

Russia
Viessmann Group – Norpe Moscow
Norpe St. Petersburg
Telephone +7 499 277 1260
www.viessmann.ru

Sweden
Norpe AB
Telephone +46 8 5941 1200
info@norpe.se
www.norpe.se

Switzerland
Viessmann (Schweiz) AG
Telephone +41 56 418 67 11
info@viessmann.ch
www.viessmann.ch

United Arab Emirates
Viessmann Middle East FZE
Telephone +971 43724247
refrigeration@viessmann.ae
www.viessmann.ae

United Kingdom
Viessmann Refrigeration Systems Limited
Telephone +44 1952 457157
sales@viessmann-coldtech.co.uk
www.viessmann.co.uk